

=> FILE REG

FILE 'REGISTRY' ENTERED AT 10:45:52 ON 10 JUL 2009
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2009 American Chemical Society (ACS)

=> D HIS

FILE 'REGISTRY' ENTERED AT 10:33:23 ON 10 JUL 2009

		E EPIFLUOROHYDRIN/CN
L1	1	S E3
		E EPICHLOROHYDRIN/CN
L2	1	S E3
		E EPIBROMOHYDRIN/CN
L3	1	S E3
		E EPIIODOHYDRIN/CN
L4	1	S E3
		E DIMETHYLAMINOPROPYLAMINE/CN
L5	1	S E4
L6	1	S 109-55-7
L7	577	S 109-55-7/CRN
		E BENZYLAMINE/CN
L8	1	S E3
L9	1606	S 100-46-9/CRN
L10	4	S L1 OR L2 OR L3 OR L4
		SEL L10 1-4 RN
		EDIT E1-E4 /BI /CRN
L11	28546	S E1-E4
L12	1	S L11 AND L7 AND L9

FILE 'ZCA' ENTERED AT 10:41:40 ON 10 JUL 2009

L13	2	S L12
L14	20284	S L10
L15	4775	S L6
L16	23313	S L8
L17	7	S L14 AND L15 AND L16
L18	10121	S L10 (L) RACT/RL
L19	2918	S L6 (L) RACT/RL
L20	18908	S L8 (L) RACT/RL
L21	5	S L18 AND L19 AND L20
L22	9	S L13 OR L17 OR L21
L23	6	S 1808-2004/PY,PRY,AY AND L22

=> FILE ZCA
FILE 'ZCA' ENTERED AT 10:45:57 ON 10 JUL 2009
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2009 AMERICAN CHEMICAL SOCIETY (ACS)

=> D L23 1-6 ALL HITSTR

L23 ANSWER 1 OF 6 ZCA COPYRIGHT 2009 ACS on STN
AN 142:263510 ZCA Full-text
ED Entered STN: 24 Mar 2005
TI Surface treatment of semifinished leather with cationic or
amphoteric polymers
IN Wolf, Gerhard; Hueffer, Stephan; Reese, Oliver; Decker, Juergen;
Igl, Georg; Schroeder, Stefan; Scherr, Guenter
PA BASF Aktiengesellschaft, Germany
SO PCT Int. Appl., 20 pp.
CODEN: PIXXD2
DT Patent
LA German
IC ICM C14C011-00
ICS D06P001-607
CC 45-2 (Industrial Organic Chemicals, Leather, Fats, and Waxes)
FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
	-----	----	-----	-----	
PI	WO 2005017210	A1	20050224	WO 2004-EP8607	200407 30

<--

W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA,
CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI,
GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP,
KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW,
MX, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD,
SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ,
VC, VN, YU, ZA, ZM, ZW
RW: BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW,
AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ,
DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PL,
PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ,
GW, ML, MR, NE, SN, TD, TG

	DE	10336453	A1	20050303	DE	2003-10336453		200308 06
					<--			
	EP	1651782	A1	20060503	EP	2004-763684		200407 30
					<--			
	R:	AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, FI, RO, CY, TR, BG, CZ, EE, HU, PL, SK						
	CN	1833036	A	20060913	CN	2004-80022510		200407 30
					<--			
	BR	2004013247	A	20061003	BR	2004-13247		200407 30
					<--			
	US	20070266501	A1	20071122	US	2006-566967		200602 02
					<--			
PRAI	DE	2003-10336453	A	20030806	<--			
	WO	2004-EP8607	W	20040730	<--			
OS	MARPAT	142:263510						
AB	The surface of semfinished leather is treated with a cationic or amphoteric aq. treating agent, e.g., an amine-epichlorohydrin copolymer by roll coating, roller application, and/or spraying and the leather is then treated with an anionic agent, e.g., a dye, fatliquoring agent or after-tanning agent, in a drum. The procedure serves to improve leather fastness, to produce 2-color effect on leather, to reduce dye consumption, etc.							
ST	semifinished leather surface treatment cationic water soluble polymer; benzylamine dimethylaminopropylamine epichlorohydrin copolymer semifinished leather surface treatment							
IT	Polyelectrolytes (amphoteric; treatment of semifinished leather surfaces with cationic polymers or)							
IT	Polyelectrolytes (cationic; treatment of semifinished leather surfaces with amphoteric polymers or)							
IT	Leather (finishing; treatment of semifinished leather surfaces with cationic or amphoteric polymers)							
IT	841312~89~8F, Benzylamine-N,N-dimethyl-1,3-propanediamine-Epichlorohydrin copolymer							
	RL: IMF (Industrial manufacture); TEM (Technical or engineered							

material use); PREP (Preparation); USES (Uses)

(treatment of semifinished leather surfaces with cationic or amphoteric polymers)

RE.CNT 5 THERE ARE 5 CITED REFERENCES AVAILABLE FOR THIS RECORD
RE

(1) Anon; PATENT ABSTRACTS OF JAPAN 1998, V1998(04)

(2) Benckiser Knapsack Gmbh; DE 3530478 A 1987 ZCA

(3) Buckman Labor Inc; DE 2616220 A 1976 ZCA

(4) Nikka Chem Co Ltd; JP 9324372 A 1997

(5) White, G; GB 419941 A 1934 ZCA

IT 841312-89-8P, Benzylamine-N,N-dimethyl-1,3-propanediamine-
Epichlorohydrin copolymer

RL: IMF (Industrial manufacture); TEM (Technical or engineered material use); PREP (Preparation); USES (Uses)

(treatment of semifinished leather surfaces with cationic or amphoteric polymers)


RN 841312-89-8 ZCA

CN 1,3-Propanediamine, N,N-dimethyl-, polymer with benzenemethanamine and (chloromethyl)oxirane (9CI) (CA INDEX NAME)

CM 1

CRN 109-55-7


CMF C5 H14 N2



CM 2

CRN 106-89-8

CMF C3 H5 Cl O



CM 3

CRN 100-46-9

CMF C7 H9 N

H₂N—CH₂—Ph

L23 ANSWER 2 OF 6 ZCA COPYRIGHT 2009 ACS on STN
AN 142:221588 ZCA Full-text
ED Entered STN: 10 Mar 2005
TI Epichlorohydrin amine polymers used for treating the surface of
leather.
IN Wolf, Gerhard; Hueffer, Stephan; Decker, Juergen; Scherr, Guenter;
Reese, Oliver
PA BASF Aktiengesellschaft, Germany
SO PCT Int. Appl., 18 pp.
CODEN: PIXXD2
DT Patent
LA German
IC ICM C08G059-10
ICS C14C003-22
CC 45-2 (Industrial Organic Chemicals, Leather, Fats, and Waxes)
FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
	-----	----	-----	-----	

PI	WO 2005014687	A1	20050217	WO 2004-EP8873	20040806

<--

W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA,
CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI,
GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP,
KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW,
MX, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD,
SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ,
VC, VN, YU, ZA, ZM, ZW
RW: BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW,
AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ,
DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PL,
PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ,
GW, ML, MR, NE, SN, TD, TG
DE 10336452 A1 20050303 DE 2003-10336452

20030806

<--

EP 1651699 A1 20060503 EP 2004-763901
200408
06

<--

EP 1651699 B1 20070110
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC,
PT, IE, SI, FI, RO, CY, TR, BG, CZ, EE, HU, PL, SK
CN 1832976 A 20060913 CN 2004-80022277
200408
06

<--

CN 100379787 C 20080409
BR 2004013268 A 20061010 BR 2004-13268
200408
06

<--

ES 2279420 T3 20070816 ES 2004-763901
200408
06

<--

US 20090094758 A1 20090416 US 2006-566375
200601
30

<--

PRAI DE 2003-10336452 A 20030806 <--
WO 2004-EP8873 W 20040806 <--

AB An aq. soln. of an epichlorohydrin amine polymer (prepd. by reacting
≥2 amines with ≥1 epichlorohydrin deriv.) at amine/epichlorohydrin
ratios (0.8:1.2) - (1.0:1.0) is used for treating the surface of
semifinished leather products and textile materials. A typical
example of such copolymer prep. by reacting 1,020 g of
dimethylaminopropylamine, 267.5 g of benzylamine and 931 mL of
epichlorohydrin in 1,519.1 g of water 2 h at 85° exhibits a solid
content 21%, viscosity 32 mPa s and chloride content 1.19 mmol/g.

ST aq soln epichlorohydrin amine polymer surface treating leather
textile; dimethylaminopropylamine benzylamine epichlorohydrin
polymer manuf

IT Fabric finishing

(aq. soln. of an epichlorohydrin amine polymer for treating the
surface of semifinished leather products and textile materials)

IT Leather

(finishing; aq. soln. of an epichlorohydrin amine polymer for
treating the surface of semifinished leather products and textile
materials)

IT 841312-89-8F

RL: IMF (Industrial manufacture); TEM (Technical or engineered
material use); PREP (Preparation); USES (Uses)

(aq. soln. of an epichlorohydrin amine polymer for treating the surface of semifinished leather products and textile materials)

RE.CNT 5 THERE ARE 5 CITED REFERENCES AVAILABLE FOR THIS RECORD
RE

- (1) Buckman Labor Inc; EP 0431739 A 1991 ZCA
- (2) Buckman Labor Inc; WO 9728687 A 1997 ZCA
- (3) Canon Kk; EP 0738608 A 1996 ZCA
- (4) Dixon, K; US 3738945 A 1973 ZCA
- (5) Ray-Chaudhuri, D; US 3573095 A 1971

IT 841312-89-8F

RL: IMF (Industrial manufacture); TEM (Technical or engineered material use); PREP (Preparation); USES (Uses)

(aq. soln. of an epichlorohydrin amine polymer for treating the surface of semifinished leather products and textile materials)


RN 841312-89-8 ZCA

CN 1,3-Propanediamine, N,N-dimethyl-, polymer with benzenemethanamine and (chloromethyl)oxirane (9CI) (CA INDEX NAME)

CM 1

CRN 109-55-7


CMF C5 H14 N2



CM 2

CRN 106-89-8

CMF C3 H5 Cl O



CM 3

CRN 100-46-9

CMF C7 H9 N

H₂N—CH₂—Ph

L23 ANSWER 3 OF 6 ZCA COPYRIGHT 2009 ACS on STN
AN 140:42160 ZCA Full-text
ED Entered STN: 15 Jan 2004
TI Preparation of naphthyridines as antibacterial compounds
IN Anderson, David; Beutel, Bruce; Bosse, Todd D.; Clark, Richard;
Cooper, Curt; Dandliker, Peter; David, Caroline; Gu, Yu-Gui; Hansen,
Todd Matthew; Hinman, Mira; Kalvin, Douglas; Larson, Daniel P.;
Lynch, Linda; Ma, Zhenkun; Motter, Christopher; Palazzo, Fabio;
Rosenberg, Teresa; Rehm, Tamara; Sanders, William; Tufano, Michael;
Wagner, Rolf; Weitzberg, Moshe; Yong, Hong; Zhang, Tianyuan
PA USA
SO U.S. Pat. Appl. Publ., 118 pp.
CODEN: USXXCO
DT Patent
LA English
IC ICM A61K031-541
ICS A61K031-5377; A61K031-519; A61K031-496; A61K031-4745;
C07D471-02
INCL 514228200; 514234200; 514269000; 514253040; 514253030; 514300000;
544060000; 544127000; 544262000; 546123000
CC 28-2 (Heterocyclic Compounds (More Than One Hetero Atom))
Section cross-reference(s): 1, 10, 33, 63

FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
	-----	----	-----	-----	

PI	US 20030232818	A1	20031218	US 2003-387318	200303 12
				<--	
	CA 2518443	A1	20040930	CA 2003-2518443	200303 12
				<--	
	WO 2004083207	A1	20040930	WO 2003-US7689	200303 12
				<--	

W: CA, JP, MX

RW: AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU,
IE, IT, LU, MC, NL, PT, SE, SI, SK, TR

EP 1631570

A1

20060308

EP 2003-723732

200303
12


<--

R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC,
PT, IE, SI, FI, CY, TR, BG, CZ, EE, HU, SK
JP 2006514964 T 20060518 JP 2004-569641

200303
12

<--

PRAI US 2002-363594P P 20020312 <--
US 2003-387318 A 20030312 <--
WO 2003-US7689 W 20030312 <--
OS MARPAT 140:42160
GI



AB The title compds. [I; one of R1 and R2 is absent or H, and the other = H, OH, NMe2, (un)substituted NH2; or R1 and R2 together = O; R3 = absent, alkyl, CH2CF3, OCH2CH:CH2, etc.; L = a bond, CO, (CH2)m (wherein m = 1-5); R4 = H, aryl, NH2, OH, etc.; R5 = H, alkyl, aryl, halo, etc.; R6 = H, halo, alkyl, CN, etc.; or R5 and R6 taken together = (un)substituted alkylene, heteroalkylene; R7 = halo, aryl, heteroaryl, etc.], useful for prophylaxis and treatment of bacterial infections, were prepd. E.g., a multi-step synthesis of 7-[(3R)-3-aminopyrrolidin-1-yl]-6-fluoro-5-methyl-4-oxo-1,4-dihydro- 1,8-naphthyridine-3-carboxylic acid, starting from 2,6-dichloro-5-fluoronicotinic acid (no data for intermediates), was given. The compds. I showed IC50 values in the range 0.01-40 μ M against bacterial protein synthesis in S30 Streptococcus pneumoniae assay. The compns. comprising the compd. I were claimed.

ST naphthyridine prepn antibacterial


IT Infection

(bacterial; prepn. of naphthyridines as antibacterial compds.)


IT Antibacterial agents
(prepn. of naphthyridines as antibacterial compds.)
IT 100-46-9, Benzylamine, reactions 109-55-7,
N,N-Dimethyl-1,3-propanediamine 3132-64-7, Epibromohydrin
RL: RCT (Reactant); RACT (Reactant or reagent)
(prepn. of naphthyridines as antibacterial compds.)
RN 100-46-9 ZCA
CN Benzenemethanamine (CA INDEX NAME)



RN 109-55-7 ZCA
CN 1,3-Propanediamine, N1,N1-dimethyl- (CA INDEX NAME)



RN 3132-64-7 ZCA
CN Oxirane, 2-(bromomethyl)- (CA INDEX NAME)



L23 ANSWER 4 OF 6 ZCA COPYRIGHT 2009 ACS on STN
AN 135:226873 ZCA Full-text
ED Entered STN: 04 Oct 2001
TI Preparation and formulation of azetidines for pharmaceutical use
IN Achard, Daniel; Bouchard, Herve; Bouquerel, Jean; Filoche, Bruno;
Grisoni, Serge; Hittinger, Augustin; Myers, Michael
PA Aventis Pharma S.A., Fr.
SO PCT Int. Appl., 249 pp.
CODEN: PIXXD2
DT Patent
LA French
IC ICM C07D205-04
ICS C07D205-06; C07D403-10; C07D403-04; C07D409-14; C07D403-14;
C07D409-06; C07D401-12; C07D409-12; C07D401-06; C07D403-06;

A61K031-397; A61P025-00

CC 27-5 (Heterocyclic Compounds (One Hetero Atom))


Section cross-reference(s): 1, 63

FAN.CNT 1


PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
-----	----	-----	-----	
PI WO 2001064632	A1	20010907	WO 2001-FR600	20010301
<--				
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, UZ, VN, YU, ZA, ZW				
RW: GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG				
FR 2805818	A1	20010907	FR 2000-2775	20000303
<--				
FR 2805818	B1	20020426		
TW 230153	B	20050401	TW 2001-90104206	20010223
<--				
CA 2400116	A1	20010907	CA 2001-2400116	20010301
<--				
EP 1263720	A1	20021211	EP 2001-909937	20010301
<--				
EP 1263720	B1	20090603		
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR				
BR 2001008871	A	20030429	BR 2001-8871	20010301
<--				
JP 2003525268	T	20030826	JP 2001-563475	200103

			<--	01
HU 2003001404	A2	20030828	HU 2003-1404	200103 01
			<--	
EE 200200487	A	20040216	EE 2002-487	200103 01
			<--	
EE 5104 CN 1185213	B1 C	20081215 20050119	CN 2001-808181	200103 01
			<--	
NZ 521075	A	20050429	NZ 2001-521075	200103 01
			<--	
AU 2001237525	B2	20051215	AU 2001-237525	200103 01
			<--	
AT 432919	T	20090615	AT 2001-909937	200103 01
			<--	
IL 151428	A	20090615	IL 2001-151428	200103 01
			<--	
US 20010027193	A1	20011004	US 2001-798072	200103 02
			<--	
US 6479479 MX 2002008360	B2 A	20021112 20021213	MX 2002-8360	200208 27
			<--	
ZA 2002006905	A	20030826	ZA 2002-6905	200208 28
			<--	
IN 2002DN00850	A	20061229	IN 2002-DN850	200208 28

			<--	
NO 2002004175	A	20021029	NO 2002-4175	
				200209 02
			<--	
NO 324505	B1	20071105		
KR 786411	B1	20071217	KR 2002-711515	
				200209 02
			<--	
BG 107056	A	20030731	BG 2002-107056	
				200209 03
			<--	
US 20030055033	A1	20030320	US 2002-242575	
				200209 12
			<--	
US 6872717	B2	20050329		
US 20050130953	A1	20050616	US 2004-988337	
				200411 12
			<--	
PRAI FR 2000-2775	A	20000303	<--	
US 2000-200399P	P	20000427	<--	
WO 2001-FR600	W	20010301	<--	
US 2001-798072	A1	20010302	<--	
US 2002-242575	A1	20020912	<--	
OS MARPAT 135:226873				
GI				



I



II

AB Azetidines, such as I and II [R2, R3 = aryl, heteroaryl; R4 = alkyl, arylalkyl, cycloalkyl, heteroaryl, heteroarylalkyl, etc.; R5 = H, acyl, alkylsulfonyl, carboxyl, carboxamido, etc.; R6 = H, CN, alkylamino, alkylthio, etc.], were prep'd. for use as pharmaceuticals

with potential usefulness in treating conditions such as neurol. disorders, cancer, immunol. disorders, and substance abuse. Thus, I (R2 = R3 = C6H4-4-Cl, R4 = SO2Me, R5 = C6H3-3,5-F2, R6 = H) was prepd. via a multistep synthetic sequence starting from MeSNa, BrCH2C6H3-3,5-F2, BrCH(C6H4-4-Cl)2, and 1-(diphenylmethyl)-3-azetidinone. Data for specific biol. activities were not given, however, pharmaceutical formulations for delivery were presented.

ST azetidine prepn pharmaceutical use

IT 359401-03-9P 359401-05-1P

RL: BAC (Biological activity or effector, except adverse); BSU (Biological study, unclassified); PUR (Purification or recovery); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)

(prepn. and formulation of azetidines for pharmaceutical use)

IT 359401-02-8P 359401-20-0P 359401-78-8P 359401-92-6P

RL: BAC (Biological activity or effector, except adverse); BSU (Biological study, unclassified); RCT (Reactant); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); RACT (Reactant or reagent); USES (Uses)

(prepn. and formulation of azetidines for pharmaceutical use)

IT 75-04-7, Ethanamine, reactions 75-07-0, Acetaldehyde, reactions
 75-36-5, Acetyl chloride 78-81-9 79-31-2 100-39-0
~~100-46-9~~, Benzenemethanamine, reactions 100-60-7
 100-61-8, reactions 103-67-3 104-88-1, reactions 106-39-8
~~106-89-8~~, Epichlorohydrin, reactions 107-10-8,
 1-Propanamine, reactions 108-00-9 108-02-1 108-86-1, reactions
 108-91-8, Cyclohexanamine, reactions 109-01-3 ~~109-55-7~~
 109-73-9, 1-Butanamine, reactions 110-78-1 110-89-4, Piperidine,
 reactions 110-91-8, Morpholine, reactions 123-75-1, Pyrrolidine,
 reactions 141-43-5, reactions 288-32-4, 1H-Imidazole, reactions
 345-70-0 348-61-8 461-96-1 462-08-8, 3-Pyridinamine
 500-22-1, 3-Pyridinecarboxaldehyde 503-29-7, Azetidine 503-74-2
 542-18-7 543-27-1 619-23-8 765-30-0, Cyclopropanamine
 765-43-5 824-94-2 1003-09-4 1003-31-2, 2-Thiophenecarbonitrile
 1005-56-7 1074-82-4 1759-53-1, Cyclopropanecarboxylic acid
 1795-48-8 2038-03-1, 4-Morpholineethanamine 2213-43-6,
 1-Piperidinamine 2516-47-4, Cyclopropanemethanamine 2637-34-5,
 2(1H)-Pyridinethione 3112-90-1 ~~3132-64-7~~, Epibromohydrin
 3218-02-8, Cyclohexanemethanamine 3332-29-4 4556-23-4,
 4-Pyridinethiol 4595-59-9 4795-29-3 5130-24-5 5267-41-4
 5452-35-7, Cycloheptanamine 5680-79-5 5813-64-9 6306-46-3
 7154-73-6, 1-Pyrrolidineethanamine 7377-26-6 7663-77-6
 10445-91-7 14548-48-2 18621-17-5 23100-12-1 26116-12-1
 27064-94-4 31719-77-4 38945-21-0 40320-60-3 49617-83-6
 52897-99-1 55263-32-6 66739-89-7 75462-59-8 105184-38-1
 108499-32-7 141776-91-2 359402-91-8 359402-93-0 359402-94-1
 RL: RCT (Reactant); RACT (Reactant or reagent)

(prepn. and formulation of azetidines for pharmaceutical use)
RE.CNT 3 THERE ARE 3 CITED REFERENCES AVAILABLE FOR THIS RECORD
RE

(1) Cale, A; US 4242261 A 1980 ZCA

(2) Esteve Labor Dr; EP 0406112 A 1991 ZCA

(3) Novonordisk As; WO 9701556 A 1997 ZCA


IT 100-46-9, Benzenemethanamine, reactions 106-89-8,
Epichlorohydrin, reactions 109-55-7 3132-64-7,
Epibromohydrin

RL: RCT (Reactant); RACT (Reactant or reagent)

(prepn. and formulation of azetidines for pharmaceutical use)


RN 100-46-9 ZCA

CN Benzenemethanamine (CA INDEX NAME)




RN 106-89-8 ZCA

CN Oxirane, 2-(chloromethyl)- (CA INDEX NAME)




RN 109-55-7 ZCA

CN 1,3-Propanediamine, N1,N1-dimethyl- (CA INDEX NAME)



RN 3132-64-7 ZCA

CN Oxirane, 2-(bromomethyl)- (CA INDEX NAME)



L23 ANSWER 5 OF 6 ZCA COPYRIGHT 2009 ACS on STN
 AN 121:186108 ZCA Full-text
 OREF 121:33689a,33692a
 ED Entered STN: 15 Oct 1994
 TI Method for estimating the flash point and the lower explosion limits
 AU Moeller, Wolfgang; Schulz, Petra; Redeker, Tammo
 CS Germany
 SO PTB-Ber. W - Phys.-Tech. Bundesanst. (1993), PTB-W-55,
 64pp.
 CODEN: PAWAD8; ISSN: 0341-6739
 DT Report
 LA German
 CC 59-6 (Air Pollution and Industrial Hygiene)
 Section cross-reference(s): 22, 23, 24, 25
 AB The CHEMSAFE database and method for estg. the flash point and lower
 explosion limit of a no. of compds. and compd. classes was developed
 further. The lower explosion limit was detd. from regression anal.
 of data based on the stoichiometry related to the mol. formula, with
 an accuracy not larger than the exptl. uncertainty of measuring the
 lower explosion limit (.apprx.10%). Estn. of flash point was carried
 out by linear regression of the correlation of measured b.p. with
 flash point, with good accuracy for 13 compd. classes, satisfactory
 for 18 classes, and unsatisfactory for 12 classes.
 ST safety flash point explosion limit estn; flash point estn linear
 regression; explosion limit estn linear regression; linear
 regression flash point explosion limit
 IT Explosion
 Flash point
 (estn. of flash point and lower explosive limit of org. compds.
 by regression anal. of data from CHEMSAFE database)
 IT Acetals
 Alcohols, properties
 Alkenes, properties
 Alkynes
 Amides, properties
 Carboxylic acids, properties
 Cyanates
 Cycloalkanes
 Disulfides
 Epoxides
 Ethers, properties
 Glycols, properties
 Phenols, properties
 Thiols, properties
 RL: PRP (Properties)
 (estn. of flash point and lower explosive limit of org. compds.
 by regression anal. of data from CHEMSAFE database)

IT Alkadienes
RL: PRP (Properties)
(halogen-free; estn. of flash point and lower explosive limit of
org. compds. by regression anal. of data from CHEMSAFE database)

IT Molecular structure-property relationship
(lower explosive limit; estn. of flash point and lower explosive
limit of org. compds. by regression anal. of data from CHEMSAFE
database)

IT Aldehydes, properties
Amines, properties
Ketones, properties
Nitriles, properties
RL: PRP (Properties)
(aliph., estn. of flash point and lower explosive limit of org.
compds. by regression anal. of data from CHEMSAFE database)

IT Alcohols, properties
RL: PRP (Properties)
(alkoxy, estn. of flash point and lower explosive limit of org.
compds. by regression anal. of data from CHEMSAFE database)

IT Alcohols, properties
Ethers, properties
RL: PRP (Properties)
(amino, estn. of flash point and lower explosive limit of org.
compds. by regression anal. of data from CHEMSAFE database)

IT Alkanes, properties
RL: PRP (Properties)
(bromo, estn. of flash point and lower explosive limit of org.
compds. by regression anal. of data from CHEMSAFE database)

IT Alkanes, properties
RL: PRP (Properties)
(chloro, estn. of flash point and lower explosive limit of org.
compds. by regression anal. of data from CHEMSAFE database)

IT Carboxylic acids, properties
RL: PRP (Properties)
(di-, diesters, estn. of flash point and lower explosive limit of
org. compds. by regression anal. of data from CHEMSAFE database)

IT Acetals
RL: PRP (Properties)
(ketals, estn. of flash point and lower explosive limit of org.
compds. by regression anal. of data from CHEMSAFE database)

IT Alkanes, properties
Aromatic hydrocarbons, properties
RL: PRP (Properties)
(nitro, estn. of flash point and lower explosive limit of org.
compds. by regression anal. of data from CHEMSAFE database)

IT Statistics and Statistical analysis
(regression, estn. of flash point and lower explosive limit of


org. compds. by regression anal. of data from CHEMSAFE database)

IT Information science and technology
 (system, computerized, CHEMSAFE; estn. of flash point and lower
 explosive limit of org. compds. by regression anal. of data from
 CHEMSAFE database)

IT 100-46-9, Benzyl amine, properties 106-89-8,
 properties 109-55-7, 3-Dimethylaminopropyl amine
 RL: PRP (Properties)
 (estn. of flash point and lower explosive limit of org. compds.
 by regression anal. of data from CHEMSAFE database)


RN 100-46-9 ZCA

CN Benzenemethanamine (CA INDEX NAME)




RN 106-89-8 ZCA

CN Oxirane, 2-(chloromethyl)- (CA INDEX NAME)



RN 109-55-7 ZCA

CN 1,3-Propanediamine, N1,N1-dimethyl- (CA INDEX NAME)



L23 ANSWER 6 OF 6 ZCA COPYRIGHT 2009 ACS on STN

AN 93:186265 ZCA Full-text

OREF 93:29691a,29694a

ED Entered STN: 12 May 1984

TI Antidepressant activity of cyclohexylphenoxymorpholines


AU Carissimi, M.; Picciola, G.; Ravenna, F.; Gentili, P.; Carenini, G.

CS Lab. Ric., Maggioni Farm. S.p.A., Milan, Italy

SO Farmaco, Edizione Scientifica (1980), 35(6), 504-26
 CODEN: FRPSAX; ISSN: 0430-0920

DT Journal

LA Italian
 CC 28-14 (Heterocyclic Compounds (More Than One Hetero Atom))
 Section cross-reference(s): 25
 GI



AB 2-[(Cyclohexylphenoxy)methyl]morpholines I (R = H, alkyl, aminoalkyl, piperazinopropionyl or -propyl, benzoylalkyl; R1 = 2-, 3-, or 4-cyclohexyl) were prepd. by different methods and they showed antidepressant, tranquilizer, analgesic, and spasmolytic activity; I also inhibited blood platelet aggregation. The phenoxyisopropanolamine II reacted with ClCH₂COCl to yield a 2-(phoxymethyl)morpholin-5-one, the product was reduced (LiAlH₄) to give a N-benzylmorpholine deriv., and hydrogenolysis of the latter gave I (R = H, R1 = 2-cyclohexyl).

ST morpholine phoxymethyl prepn antidepressant;
 phoxymethylmorpholine prepn antidepressant analgesic; tranquilizer
 phoxymethylmorpholine prepn; spasmolytic phoxymethylmorpholine prepn; blood platelet phoxymethylmorpholine prepn

IT Analgesics
 Antidepressants
 Muscle relaxants and Spasmolytics
 Tranquilizers and Neuroleptics
 ([[(cyclohexylphenoxy)methyl]morpholines)

IT Blood platelet
 (aggregation of, [(cyclohexylphenoxy)methyl]morpholines for inhibition of)

IT 55837-19-9
 RL: RCT (Reactant); RACT (Reactant or reagent)
 (cyclocondensation reaction of, with chloroacetyl chloride)

IT 79-04-9
 RL: RCT (Reactant); RACT (Reactant or reagent)
 (cyclocondensation reaction of, with isopropanolamines, morpholinones from)

IT 4491-92-3
 RL: RCT (Reactant); RACT (Reactant or reagent)
 (hydrolysis of)

IT 75224-30-5P 75224-31-6P 75224-32-7P 75224-42-9P
 RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation);
 RACT (Reactant or reagent)
 (prepn. and cyclocondensation reaction of, with chloroacetyl
 chloride)

IT 75224-33-8P 75224-34-9P 75224-35-0P
 RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation);
 RACT (Reactant or reagent)
 (prepn. and hydride redn. of)

IT 75224-36-1P 75224-37-2P 75224-38-3P
 RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation);
 RACT (Reactant or reagent)
 (prepn. and hydrogenolysis of)

IT 75224-39-4P 75224-40-7P 75224-41-8P 75224-46-3P 75224-48-5P
 75224-52-1P 75224-53-2P 75224-54-3P 75224-55-4P 75224-57-6P
 75224-58-7P 75224-59-8P 75224-60-1P 75224-62-3P
 RL: BAC (Biological activity or effector, except adverse); BSU
 (Biological study, unclassified); SPN (Synthetic preparation); BIOL
 (Biological study); PREP (Preparation)
 (prepn. and pharmacol. activity of)

IT 75224-43-0P 75224-45-2P
 RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation);
 RACT (Reactant or reagent)
 (prepn. and redn. of, by diborane)

IT 75224-29-2P 75224-61-2P
 RL: SPN (Synthetic preparation); PREP (Preparation)
 (prepn. of)

IT 59695-29-3P
 RL: SPN (Synthetic preparation); PREP (Preparation)
 (prepn. of, and N-acylation of morpholine deriv. by)

IT 75224-49-6 75224-50-9
 RL: RCT (Reactant); RACT (Reactant or reagent)
 (redn. of, by diborane)

IT 119-42-6 1131-60-8 1943-95-9
 RL: RCT (Reactant); RACT (Reactant or reagent)
 (ring cleavage of epichlorohydrin by, and substitution reaction
 of product with benzylamine)

IT 109-55-7
 RL: RCT (Reactant); RACT (Reactant or reagent)
 (ring cleavage of glycidyl ether deriv. by)

IT 106-89-8, reactions
 RL: RCT (Reactant); RACT (Reactant or reagent)
 (ring cleavage of, by phenols, and substitution reaction of
 products with benzylamine)

IT 67006-90-0
 RL: RCT (Reactant); RACT (Reactant or reagent)
 (ring cleavage of, by propanediamine deriv.)

IT 100-46-9, reactions
 RL: RCT (Reactant); RACT (Reactant or reagent)
 (substitution reaction of, with epichlorohydrin derivs.)

IT 48183-74-0
 RL: RCT (Reactant); RACT (Reactant or reagent)
 (N-acylation and N-alkylation reactions of)

IT 22278-01-9
 RL: RCT (Reactant); RACT (Reactant or reagent)
 (N-acylation of morpholine deriv. by)


IT 3874-54-2
 RL: RCT (Reactant); RACT (Reactant or reagent)
 (N-alkylation of morpholine deriv. by)

IT 75-21-8, reactions
 RL: RCT (Reactant); RACT (Reactant or reagent)
 (N-alkylation of piperazines by)

IT 109-55-7
 RL: RCT (Reactant); RACT (Reactant or reagent)
 (ring cleavage of glycidyl ether deriv. by)

RN 109-55-7 ZCA


CN 1,3-Propanediamine, N1,N1-dimethyl- (CA INDEX NAME)



IT 106-89-8, reactions
 RL: RCT (Reactant); RACT (Reactant or reagent)
 (ring cleavage of, by phenols, and substitution reaction of
 products with benzylamine)

RN 106-89-8 ZCA

CN Oxirane, 2-(chloromethyl)- (CA INDEX NAME)



IT 100-46-9, reactions
 RL: RCT (Reactant); RACT (Reactant or reagent)
 (substitution reaction of, with epichlorohydrin derivs.)

RN 100-46-9 ZCA

CN Benzenemethanamine (CA INDEX NAME)

